Tuesday, 16/10/2007 9:51:27 AM Date: Linda Lacelle User: **Process Sheet** Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : STRUT Job Number : 35176 : 10284 **Estimate Number** : NIA : D2565109 P.O. Number **Part Number** S.O. No. : NIA : 16/10/2007 This Issue **Drawing Number** : D2565 REV E Prsht Rev. : N/A Project Number : SMALL /MED FAB First Issue Type **Drawing Revision** : 34363 Previous Run Material : 23/10/2007 Each **Due Date** Qty: Written By Checked & Approved By Comment : Est:F 02.04 16 Added dwg Rev.C1 NG 1 **Additional Product** Job Number: Seq. #: Description: 1.0 M304TR0750W049 304 RD Tube .750 x .049W 1.0771 f(s)/Unit Total: 3.2313 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall Batch No: M 104 72 (M304TR0750W049) BRAKE NC NC BRAKE 2.0 Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313 3.0 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr 4.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP 5.0 POWDER COATING POWDER COATING M 10 5068 Comment: POWDER COATING Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3 6.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT

Date:

Tuesday, 16/10/2007 9;51:27 AM

User:

Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STRUT

Job Number: 35176

Part Number: D2565109

Job Number:



Seq. #:

Machine Or Operation:

Description:

7.0

PACKAGING 1

PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1 Identify and Stock

Location:



8.0

QC21

FINAL INSPECTION/W/O RELEASE

Job Completion



Comment: FINAL INSPECTION/W/O RELEASE

U St.10.23






E

04.05.05

DESIG	"#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED M	APPROVED	DRAWING NO. REV. E
	#	1	D2565 SHEET 1 OF 1
DATE			TITLE SCALE
04.0	5.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM, A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH



***************************************			,					
-		***************************************		A	3 ——			
6					[
		"C"	D DIA	IA 0.2: TO BE	57 TO OPEN	BE PL ED MAI	INCHED NUALLY	,
PUNCH	ENDS	PER S	PEC	CONTR	OL DR	AWING	D2638	

	·		
PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	
D2565-109	12.31	11.51	
D2565-111	13.65	12.85	
D2565-201	22.79	22.00	0.316
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86	20.06	_
D2565-309	20.17	19.37	
D2565-311	16.30	15.50	
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

ADD D2565-401-411; RMV ANGLE D

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.